

Edlund

Don't You Have Anything Better To Do With Your Time Than Open Cans?



Model #625A-JF

Edlund's Model #625-JF series of air powered crown punch can openers operate so quickly and efficiently, models can pay for themselves in as little as just three months.

Edlund's automated, heavy-duty can openers save operators who open 100 cans or more per day up to 20 hours in labor requirements every week, freeing staff for more productive prep or service tasks.



Model #625A-CT-JF

And now, Edlund's Model #625-JF Crown Punch Series is available with a new self-contained Mobile Can-Opening Station that provides the most effective can-processing solution for remote-sited banquet and special event staff available on the market

Got Too Many Cans On Your Hands?

Edlund Can Slice That Problem Down To Size.

EFFICIENT & SAFE

The Model #625-JF Series can open any can found in professional kitchens, from 2 1/8" (54 mm) to 6 3/16" (157 mm) in diameter, and all models are CE Certified. All units have dual safety controls that ensure two-handed operation. The more sophisticated 625A-JF and 625A-CT-JF models have micro-switches that activate protective covers to prevent use when doors are open. As an added safety feature, all models feature blades that eliminate the need for operator sharpening and will effectively open up to 500,000 cans before service is required

DURABLE & VERSATILE

Edlund's Model #625-JF Series of air powered crown punch can openers are constructed entirely of stainless steel and designed to open hundreds of cans quickly, safely and consistently, day after day. Edlund's adjustable height feature allows Model #625-JF Series can openers to remove lids from almost any sized can. Quick-change tooling options enable individual models to open cans of different sizes and custom tooling is available for unusual sized or shaped cans. All Model #625-JF Series openers are made in the USA.

Models: **625-JF, 625A-JF, 625M-JF, 625A-CT-JF, 625T-JF**



625-JF



625T-JF



625M-JF



625A-JF

SPECIFICATIONS

PRODUCT CODE

Model 625-JF — #62500
Model 625A-JF — #62700
Model 625M-JF — #62400
Model 625A-CT-JF — #62783
Model 625T-JF — #62600
Model 625A-PP-JF — #62782

DIMENSIONS (Case)

Model 625-JF — 48" X 20" X 27"
Model 625A -JF— 26" X 24" 27"
Model 625M-JF — 17" X 20" 27"
Model 625A-CT-JF — 48" X 37X 68
Model 625T-JF— 37 1/2" X 12" X 20"
Model 625A-PP-JF — 62" X 47" X 77"

CASE WEIGHTS (Lbs./Kgs)

Model 625-JF — 585 lbs./266 kgs.
Model 625A-JF — 260 lbs./117 kgs.
Model 625M-JF — 145 lbs./65.3 kgs.
Model 625A-CT-JF — 555 lbs./251 kgs.
Model 625T-JF — 160 lbs./72 kgs.
Model 625A-PP-JF — 585 lbs./266 kgs.

Edlund Can Save You Money On Every Can You Open

As this chart describes, in a professional kitchen where one or two average-paid staff members spend approximately 2 hours each per day opening cans, Edlund Model #625-JF openers can pay for themselves in just 90 days!*

Model #625-JF Series -- Return on Investment

Number of Employees	Average Hourly Wage	# of Hours / Week Saved	Extended Annual Cost Of Can Opening	Model #625-JF Average Retail Cost	Estimated Payback in Months
1	\$8.55 / hr.	10	\$4446.00	\$5330.00	14
1	\$8.55 / hr.	20	\$8892.00	\$5330.00	7
2	\$8.55 / hr.	10	\$8892.00	\$5330.00	7
2	\$8.55 / hr.	20	\$17,784.00	\$5330.00	4
3	\$8.55 / hr.	10	\$13,338.00	\$5330.00	5
3	\$8.55 / hr.	20	\$26,676.00	\$5330.00	3

Edlund's Model #625-JF Crown Punch can openers not only make restaurant and foodservice kitchens more productive and cost-efficient, they contribute to operational safety, as well. Jagged metal edges are eliminated by the **Edlund Model #625-JF's** automated can-opening system and exclusive operator safety features offer protection against workplace can-opening injuries. **Models #625M-JF, #625A-JF and #625A-CT-JF** completely eliminate the need for operators to handle can lids.



Model #625A-PP-JF Prison Package

New From Edlund: High-Powered Can-Opening With Full Mobility

Now, exclusively available from Edlund, two new **Model #625-JF Series** Mobile Can Opening Systems make it possible for end-users to open up to 10 cans per minute safely and easily anywhere in high-volume production facilities. This unprecedented flexibility aids productivity and fast transfer of canned foods to cooking equipment. Edlund's air-powered crown-punch design, built-in compressor, heavy-duty stainless steel construction and height adjustable casters help to ensure increased can-opening efficiency.

The new **Model #625-JF Series** Mobile Can Opening Systems have a compact footprint (30" x 45" x 59") to ensure full mobility in busy production areas. An open shelf design, without a compressor, is available, as is a full "lock-down" prison package with an automatic lid-collecting system. (**#625A-PP-JF**)

Edlund Model #625-JF Can Openers Save Space. And Time, and Money, and Drudgery And...



Model #625A-CT-JF

Designed to operate in an unusually small footprint for a heavy-duty, high-volume equipment piece (as small as 12.6 cubic feet), Edlund's Model #625-JF openers fit into almost any kitchen design. All models require 85 P.S.I. at 1 1/2 - 2 C.F.M.

Both Mobile Can Opening Systems (#625A-PP-JF and 625A-CT-JF) come standard with self-contained compressors, ensuring "plug 'n play" operability from the day models are installed. (Models without compressors are available through special order)

Tired of every can you open costing you money and valuable staff time?
Contact Edlund and John Frishman Associates and we'll take can opening problems off your hands



Edlund Company, Inc.,
159 Industrial Parkway,
Burlington, VT 05401 802-862-9661
www.edlundco.com



JFA | **J. Frishman**
ASSOCIATES

J. Frishman Associates, 740 South Federal Highway, Suite 506, Pompano Beach, FL 33062
phone: (954) 781-4521 fax: (954) 943-8062 info@jfrishman.com www.jfrishman.com

